

## 4x4 ISUZU 8m3 animal bulk feed truck

### Specification:

#### Specification of ISUZU 8m3 Bulk Feed Truck

Driving type	4x2, Left Hand Driving		
Chassis	Brand	ISUZU	
	Gross weight(kg)	7300	
	Wheelbase(mm)	3360	
	Dimension(mm)	6200×2200×3300	
	Axle loading(front/rear)(kg)	2500/4800	
	Max driving speed(speed(km/h)	100	
	Tire	Quantity	6+1 spare tire
	Specification 7.00R16		
Cab	3 passengers allowed. With air conditioner.		
Engine	Fuel type	Diesel turbocharged, intercooled	
	Model	4KH1CN6LB	
	Displacement(ml)	2999	
	Max Power(kw)	88	
	Max Horsepower(hp)	120	
	Cylinder number	4	
	Emission standard	Euro IV	
	Gear box	Manual, MSB 5forwards & 1 reverse	
Body			
Loading Medium	Bulk feed, grain,powder, etc.		
Bulk Capacity	4tons		

Bulk Volume 8cbm

Material Carbon steel

Thickness: 4mm

Rust Resistance Anticorrosive paint

Compartments 2

Color As your request

Logo As your request

	Discharge speed(Kg/min)	510	Residual rate(%)	≤0.22
	Elevation angle of discharge(°)	0~60	Rotation angle of discharge(°)	±180
	Tank drive form	External power and generator (Permanent magnet generator 16.5kw/380V. It is recommended to use an external power supply for unloading, which is low cost, environmentally friendly and low vehicle attrition)		
	Electrical configuration	Complete set of Schneider Electric control system		
	Hydraulic auge	Equipped with 3 hydraulic conveyor augers driven by 3pcs 5.5KW motors		
	Painting	Professional anti-corrosion paint. Process:		

		sandblasting, polishing, painting.
	Tank	Made of high-quality carbon steel sheet; The proof is sloping, which increase the fullness and safety factor; and Strict welding process guarantees quality.